

VA Foot & Ankle System



FracTechTM | Trauma System
Division of Absolute Medical Devices Pvt Ltd




Forefoot / midfoot platform is a comprehensive plating system that includes procedure-specific, anatomic plates with Variable Angle Screw options for fixation of osteotomies, fusions and fractures of the foot



Screw Features

The Airlock Ø2.7mm and Ø3.5mm locking and non-locking screws may be used in all Airlock plate fixation holes; however, the compression holes only accommodate

Ø2.7mm Ø3.5mm non-locking screws of appropriate length may be used for additional plantar compression. All instrumentation is conveniently organized and color coded (see below)



FracTech Lock Metatarsophalangeal Variable Angle Locking Plate



Code	Code	Length
FT801.00.36R	FT801.00.36L	36mm(0°)
FT801.00.30R	FT801.00.30L	30mm(0°)
FT801.05.36R	FT801.05.36L	36mm(5°)
FT801.05.30R	FT801.02.30L	30mm(5°)
FT801.10.36R	FT801.10.36L	36mm(10°)
FT801.10.30R	FT801.10.30L	30mm(10°)

FracTech Lock Propodium Universal Variable Angle Locking Plate



Code	Holes	Length
FT802.22	4Holes,	22mm
FT802.24	4Holes,	24mm
FT802.26	4Holes,	26mm
FT802.28	4Holes,	28mm

FracTech Lock Propodium Universal Variable Angle Locking Plate



Code	Holes	Length
FT803.24	4Holes,	24mm
FT803.28	4Holes,	28mm
FT803.33	4Holes,	33mm

FracTech Lock Variable Angle Straight Locking Plate



Code	Holes
FT803.2	4Holes

FracTech Lock Foot Variable Angle Locking Plate



Code	Holes
FT805.22	4Holes
FT805.24	6Holes

FracTech Lock Trapezoidal Variable Angle Locking Plate



Code	Height
FT806.01	Height 1mm
FT806.02	Height 2mm
FT806.03	Height 3mm
FT806.04	Height 4mm
FT806.05	Height 5mm
FT806.06	Height 6mm

FracTech Lock Trapezoidal Variable Angle Locking Plate



Code	Width
FT807.03	Width 3mm
FT807.04	Width 4mm
FT807.05	Width 5mm
FT807.06	Width 6mm
FT807.07	Width 7mm

FracTech Lock Metapedes Reconstruction Variable Angle Locking Plate



Code	Length
FT808.50	50mm
FT808.66	66mm

FracTech Lock Calcaneus Trapezoidal Variable Locking Plate



Code	Holes	Length
FT809.06	4Holes,	6mm
FT809.08	4Holes,	8mm
FT809.10	4Holes,	10mm

FracTech Lock Metatarsal Head T Locking Plate



Code	Holes
FT821.05	5Holes

FracTech Lock Metatarsal Head T Locking Plate, Oblique



Code	Holes
FT822.05L	4Holes, Left
FT822.05R	4Holes, Right

R

FracTech Lock Metatarsal L Locking Plate



Code	Holes
FT823.03L	3Holes, Left
FT823.04L	4Holes, Left
FT823.03R	3Holes, Right
FT823.04R	4Holes, Right

FracTech Lock Metatarsal L locking Plate, Oblique




Code	Holes
FT824.03L	3 Holes, Left
FT824.04L	4 Holes, Left
FT824.05R	3 Holes, Right
FT824.06R	4 Holes, Right

FracTech Lock Metatarsal T Locking Plate



Code	Holes
FT825.03	3Holes
FT825.04	4Holes
FT825.05	5Holes
FT825.06	6Holes

FracTech Lock First metatarsal Cuneiform Plantar Fusion Locking Plate



Code	Holes
FT826.01L	Left, Small
FT826.02R	Left, Large
FT826.01L	Right, Small
FT826.02R	Right, Large

FracTech Lock Cuboid Locking Plate



Code	Holes
FT827L	Left
FT827R	Right

FracTech Lock Metatarsal L locking Plate, Oblique



Code	Holes
FT824.03L	3 Holes, Left
FT824.04L	4 Holes, Left
FT824.05R	3 Holes, Right
FT824.06R	4 Holes, Right

FracTech Lock Metatarsal T Locking Plate



Code	Holes
FT825.03	3Holes
FT825.04	4Holes
FT825.05	5Holes
FT825.06	6Holes

FracTech Lock First metatarsal Cuneiform Plantar Fusion Locking Plate



Code	Holes
FT826.01L	Left, Small
FT826.02R	Left, Large
FT826.01L	Right, Small
FT826.02R	Right, Large

FracTech Lock Cuboid Locking Plate



Code	Holes
FT827L	Left
FT827R	Right

FracTech Lock Talus Locking Plate



Code	Holes
FT828.06	6Holes

FracTech Lock Navicular Locking Plate



Code	Holes
FT829L	8Holes, Left
FT829R	8Holes, Right

FracTech Lock LCP Mini
Locking T Plate



Code	Holes
FT841.03L	3Holes, Left
FT841.04L	4Holes, Left
FT841.03R	3Holes, Right
FT841.04R	4Holes, Right

FracTech Lock LCP Mini
Locking L Plate



Code	Holes	Length
FT842.32L	3Holes, L	32mm
FT842.40L	3Holes, L	40mm
FT842.32R	3Holes, R	32mm
FT842.40R	3Holes, R	40mm

FracTech Lock Calcaneal
Locking Plate L



Code	Holes
FT843.08S.L	8 Holes, Left Small
FT843.08M.L	8 Holes, Left Medium
FT843.08L.L	10 Holes, Left Large
FT843.08S.R	8 Holes, Right Small
FT843.08M.R	8 Holes, Right Medium
FT843.08L.L	10 Holes, Right large

FracTech Lock Calcaneal
Locking Plate III



12 Holes, Left Small

Code	Holes
FT844.12S.L	12 Holes, Left Small
FT844.12S.R	12Holes, Right Small
FT844.12M.L	10 Holes, Left Medium
FT844.12M.R	8 Holes, Right Medium
FT844.12L.L	8 Holes, Left Large
FT844.12L.R	10 Holes, Right large

FracTech Lock Calcaneal Anatomical Locking Plate




Code	Length
FT845.68.L	68mm, Left
FT845.68.R	68mm, Right
FT845.60.L	60mm, Left
FT845.60.R	60mm, Right
FT845.53.L	53mm, Left
FT845.53.R	53mm, Right

FracTech Lock Cuboid Locking Plate



Code	Holes
FT846L	2Holes, Left
FT847L	2Holes, Left
FT846R	3Holes, Right
FT847R	3Holes, Right


Ø2.7 FracTech Lock Variable Angle Locking Screw



Code	Length
FT853.10	10mm
FT853.12	12mm
FT853.14	14mm
FT853.16	16mm
FT853.18	18mm
FT853.20	20mm
FT853.22	22mm
FT853.24	24mm
FT853.26	26mm
FT853.28	28mm
FT853.30	30mm

Code	Length
FT853.32	32mm
FT853.34	34mm
FT853.36	36mm
FT853.38	38mm
FT853.40	40mm
FT853.42	42mm
FT853.44	44mm
FT853.46	46mm
FT853.48	48mm
FT853.50	50mm


Ø2.7 FracTech Lock Cortex Screw



Code	Length
FT854.10	10mm
FT854.12	12mm
FT854.14	14mm
FT854.16	16mm
FT854.18	18mm
FT854.20	20mm
FT854.22	22mm
FT854.24	24mm
FT854.26	26mm
FT854.28	28mm
FT854.30	30mm

Code	Length
FT854.32	32mm
FT854.34	34mm
FT854.36	36mm
FT854.38	38mm
FT854.40	40mm
FT854.42	42mm
FT854.44	44mm
FT854.46	46mm
FT854.48	48mm
FT854.50	50mm


Ø3.5 FracTech Lock Variable Angle Locking Screw



Code	Length
FT855.10	10mm
FT855.12	12mm
FT855.14	14mm
FT855.16	16mm
FT855.18	18mm
FT855.20	20mm
FT855.22	22mm
FT855.24	24mm
FT855.26	26mm
FT855.28	28mm
FT855.30	30mm

Code	Length
FT855.34	34mm
FT855.36	36mm
FT855.38	38mm
FT855.40	40mm
FT855.42	42mm
FT855.44	44mm
FT855.46	46mm
FT855.48	48mm
FT855.50	50mm
FT855.55	55mm
FT855.60	60mm

Ø3.5 FracTech Lock Cortex Screw



Code	Length
FT856.10	10mm
FT856.12	12mm
FT856.14	14mm
FT856.16	16mm
FT856.18	18mm
FT856.20	20mm
FT856.22	22mm
FT856.24	24mm
FT856.26	26mm
FT856.28	28mm
FT856.30	30mm

Code	Length
FT856.34	34mm
FT856.36	36mm
FT856.38	38mm
FT856.40	40mm
FT856.42	42mm
FT856.44	44mm
FT856.46	46mm
FT856.48	48mm
FT856.50	50mm
FT856.55	55mm
FT856.60	60mm

Instruments

CODE	Description
P120.01	Drill Guide Ø1.8 MM



P120.02	Drill Guide Ø2.5 MM
---------	---------------------



P120.03	Drill Guide Ø1.8 MM
---------	---------------------



P120.04	Drill Guide Ø2.5 MM
---------	---------------------



P120.05	Drill Guide Ø1.8 MM For Variable Angle
---------	--



Instruments

CODE	Description
P120.06	Drill Guide Ø2.5 MM For Variable Angle



P120.07	Drill Guide Ø1.8 MM QC
---------	------------------------



P120.08	Drill Guide Ø2.5 MM QC
---------	------------------------



P120.09	Screw Driver Shaft T15 (Short)
---------	--------------------------------



P120.10	Screw Driver Shaft T15 (Long)
---------	-------------------------------



Instruments

CODE	Description
P120.11	Quick Coupling Handle



P120.12	Quick Coupling Shaft For Chuck
---------	--------------------------------



P120.13	Depth Gauge
---------	-------------



P120.14	Screw Holding Device
---------	----------------------



P120.15	Disctractor With Measurement
---------	------------------------------




Instruments

CODE	Description
P120.16	Distractor Small



P120.17	Pressure Clamp Small
---------	----------------------



P120.18	Torque Limiter 0.8 NM
---------	-----------------------



P120.19	Torque Limiter 1.5 NM
---------	-----------------------



Instruments

CODE	Description
------	-------------

P121.01	Curette Small Dual
---------	--------------------



P121.02	Curette Large Dual
---------	--------------------



P121.03	Curette Single
---------	----------------



P121.04	Curette
---------	---------



P121.05	Osteotome 9 MM
---------	----------------



Instruments

CODE Description

P121.06 Osteotome 12 MM



P121.07 Osteotome With Angle 12 MM



P121.08 Osteotome With Angle 12 MM



P121.09 Osteotome With Handle 4 MM



P121.10 Osteotome With Handle 6 MM



Instruments

CODE	Description
P121.11	Osteotome With Handle 10 MM



P121.12	Osteotome With Handle 14 MM
---------	-----------------------------



P121.13	Osteotome With Handle 18 MM
---------	-----------------------------



P121.14	Circular Bone Chisel Outer Side Edge
---------	--------------------------------------



P121.15	Circular Bone Chisel Inner Side Edge
---------	--------------------------------------



Instruments

CODE	Description
P121.16	Periosteal Detacher Dual



P121.17	Periosteal Detacher 7 MM
---------	--------------------------



P121.18	Periosteal Detacher 15 MM
---------	---------------------------



P121.19	Knocker
---------	---------



P121.20	Bone Lever
---------	------------



Instruments

CODE	Description
P121.21	Bone Lever With Angle



P121.22	Retractor
---------	-----------



P121.23	Skin Retractor
---------	----------------



P121.24	Reduction Forcep Small
---------	------------------------



Instruments

CODE	Description
P121.25	Reduction Forcep Medium




P121.26	Reduction Forcep Large
---------	------------------------



P121.27	Torque Limiter 0.8 NM
---------	-----------------------



P121.28	Bone Rongeur Straight
---------	-----------------------





Instruments

CODE	Description
P121.29	Distractor 8 MM

P121.30	Distractor Large
---------	------------------

P121.31	Pressure Clamp Large
---------	----------------------





FracTechTM | Trauma System
Division of Absolute Medical Devices Pvt Ltd



ABSOLUTE MEDICAL DEVICES (OPC) PVT LTD

E 39 1st Floor Part-2 SMA Industrial Area, GT Karnal Road, Delhi-110033

absolutemedicaldevices@gmail.com

+91 9810518801